CZECH MYCOLOGY

FORMERLY ČESKÁ MYKOLOGIE

Publication of the Czech Scientific Society for Mycology

VOLUME 51

(1999)

CABI BIOSCIENCE
EGHAM LIBRARY
- 5 JUL 1999

EDITORIAL BOARD

Editor-in-Chief

ZDENĚK POUZAR (Praha)

Managing editor

JAROSLAV KLÁN (Praha)

VLADIMÍR ANTONÍN (Brno)
OLGA FASSATIOVÁ (Praha)
ROSTISLAV FELLNER (Praha)
JOSEF HERINK (Mnichovo Hradiště)
ALEŠ LEBEDA (Olomouc)
JIŘÍ KUNERT (Olomouc)
LUDMILA MARVANOVÁ (Brno)
PETR PIKÁLEK (Praha)
MIRKO SVRČEK (Praha)

PRAHA 1999

CONTENTS

GHERBAWY Y. A. M. H. and ABDELZAHER H. M. A.: Isolation of fungi from tomato rhizosphere and evaluation of the effect of some fungicides and biological agents on the production of cellulase enzymes by Nectria haematococca amd Pythium ultimum var. ultimum 157
HAUSKNECHT A.: Revision von Velenovskýs Galera-Arten, die den Gattungen Conocybe und Pholiotina angehören 41
HROUDA P.: Hydnaceous fungi of the Czech Republic and Slovakia 99
HUŇKOVÁ Z., KUBÁTOVÁ A., WEIGNEROVÁ L. and KŘEN V.: Induction of extracellular glycosidases in filamentous fungi and their potential use in chemotaxonomy 71
KOCOURKOVÁ J.: Lichenicolous fungi from the Czech Republic. 1. Weddellomyces xanthoparmeliae Calatayud et Nav.-Ros. 179
KOCOURKOVÁ J. and BERGER F.: Polycoccum minutulum (Dothideales, Ascomycetes), a new lichenicolous fungus on Trapelia placodioides 171
MÜLLER J.: Peronospora swinglei – ein neuer Falscher Mehltaupilz für die Tschechische Republik 185
RÉBLOVÁ M. and GAMS W.: Teleomorph-anamorph connections in Ascomycetes. 1. Cylindrotrichum and Cacumisporium anamorphs of Chaetosphaeria 1
VACCARO G. and BENNETT J. W.: Norsolorinic acid mutants and aflatoxin research 89
Amanita solitaria (Bull.: Fr.) Mérat (J. Klán) 272
Book review (K. Prášil) 192
(V. Antonín) 205
Czech Scientific Society for Mycology. List of members 193
Index to new names and combinations appearing in Czech Mycology 51 (1) 88
Index to new names and combinations appearing in Czech Mycology 51 (2–3) 206
The contents and bibliographical index of vol. 1–8 of the journal Mycologia (Praha) 1924–1931 (B. Hlůza) 207
Contents and index of generic and specific names of fungi Vol. 51 (1999) (J. Landa)

New taxa and new combinations

New species

Chaetosphaeria acutata Réblová et W. Gams 9 – *Chaetosphaeria tulasneorum* Réblová et W. Gams 32 – *Conocybe microrrhiza* Hausknecht 55 – *Conocybe pragensis* Hausknecht 47 – *Polycoccum minutulum* Kocourková et F. Berger 171

New combinations

Chaetosphaeria crustacea (Sacc.) Réblová et W. Gams 12 – *Chaetosphaeria decastyla* (Cooke) Réblová et W. Gams 19 – *Chaetosphaeria fennica* (P. Karsten) Réblová et W. Gams 24 – *Conocybe brachypodii* (Velen.) Hausknecht et Svrček 43 – *Conocybe dumetorum* (Velen.) Svrček var. *laricina* (Kühner) Hausknecht 51 – *Conocybe microrrhiza* var. *parvispora* (Hausknecht) Hausknecht 55 – *Conocybe microrrhiza* var. *tetraspora* (Singer et Hausknecht) Hausknecht 55 – *Conocybe pulchella* (Velen.) Hausknecht et Svrček 58 – *Conocybe rostellata* (Velen.) Hausknecht et Svrček 61 – *Conocybe velutipes* (Velen.) Hausknecht et Svrček 68 – *Pholiotina rimosa* (Velen.) Hausknecht et Svrček 61 – *Pholiotina velata* (Velen.) Hausknecht 66

Abrothallus caerulescens 183, 184;
Acanthostigma decastylum 19, 23;
– *fennicum* 24;
Acarospora fuscata 175;
Acremonium strictum 163;
Acrotheca zignoëllae 7;
Acrothecium deliculatum 34;
Agrocybe 41;
Alternaria 163;
– *alternata* 163;
– *tenuissima* 163;
Amandinea punctata 175;
Amanita solitaria 272–273;
Apiosordaria 2;
Ascocodinaea 2;
Aspergillus 72, 73, 75–77, 82, 83, 85, 162, 163;
– *awamorii* 74, 77, 81, 83, 84;
– *candidus* 163;
– *flavipes* 74, 76, 80–83;
– *flavofurcatis* 75, 76;
– *flavus* 75, 81–83, 90, 91, 93, 94, 162, 163;
– *foetidus* 84;
– *fumigatus* 81, 162, 163;
– *nidulans* 93, 94;
– *niger* 74, 76, 77, 81–84, 162, 163;
– *niveus* 76, 81, 83;
– *ochraceus* 163;
– *oryzae* 74, 75, 79–83, 85;
– *parasiticus* 75, 81–83, 90–94;
– *phoenicis* 74, 77, 82–84;
– *sojae* 75, 81;
– *sydowii* 163;
– *tamarii* 76, 80–83;
– *terreus* 74, 76, 80–83, 162, 163;
– *tubingensis* 84;
– *ustus* 163;
– *versicolor* 77;
– *violaceus* 163;
– *wentii* 83;
Aspicilia 179;
Auriscalpium 99, 101, 103;
– *vulgare* 104;

Baeomyces rufus 175;
Bankera 99, 100, 103, 104;
– *fuligineo-alba* 100, 105–109;
– *violascens* 105–107, 109–110;
Beauveria 72;
Bispora lichenum 173;
Bolbitius albipes 42;
Bombardia 2;
Botryotrichum atrogriseum 163;

Cacumisporium 3–5, 39;
– *capitulatum* 4, 5, 12, 19, 23, 24, 38;
– *tenebrosum* 19;
Calodon laevigatus 107;
Caloplaca 175, 179, 182;
Cantharellus 205;
– *amethysteus* 205;
– *cibarius* 205;
– *ferrugineus* 205;
– *pallens* 205;
– *stevensoni* 205;
Catenularia 2;
Cercophora 2;
Chaetomium globosum 163;
Chaetopsis 3, 37;
– *cylindrospora* 29;
– *grisea* 38;
Chaetosphaeria 2–39;
– *abietis* 4, 5–7, 32;
– *acutata* 4, 5, 8–12, 24, 27, 38, 39;
– *atriella* 24;
– *crustacea* 3–5, 12–17, 24, 32, 38;
– *decastyla* 3–5, 17, 18–24, 38;
– *fennica* 3–5, 24–27;
– *fusiformis* 4, 5, 27–32, 38;
– *fusispora* 27, 31;
– *innumera* 37;
– *macrospora* 19, 23;
– *ovoidea* 23, 37;
– *pulviscula* 37;
– *tulasneorum* 4, 5, 32–37;
Chalara 2;
Chloridium 2, 4, 5, 12, 17, 26, 27, 32, 38, 39;
– *clavaeforme* 38;
– *codinaeodies* 38;
– *cylidrosporum* 5, 29, 31, 32;
– *matsushimae* 38;
– *reniforme* 38;

– *virescens* 16, 38;
Cladosporium cladosporoides 163;
Claviceps 90;
Clitocybe gentianea 205;
Cochliobolus 163;
– *lunatus* 163;
– *spicifer* 162, 163;
Conocybe 41–69;
– *albipes* 43, 60;
– *albipes* var. *rugata* 60;
– *alboradicans* 47;
– – var. *carinthiaca* 47;
– *appendiculata* 66;
– *brachypodii* 42, 43;
– *bulbosa* 45;
– *cryptocystis* 49;
– *digitalina* 49;
– *dumetorum* 51;
– – var. *austriaca* 51;
– – var. *laricina* 42, 51;
– *echinata* 52;
– *excedens* 43;
– – var. *pseudomesospora* 43;
– *fiorii* 47;
– *fuscimarginata* 63;
– *kuehneriana* 68;
– *lactea* 42, 43, 60;
– *laricina* 51;
– *lateritia* 60;
– *leporina* 53, 55;
– – var. *parvispora* 55;
– – var. *tetraspora* 55;
– *magnicapitata* 52, 53, 65;
– *mairei* 45;
– *major* 55, 56;
– *melea* 56;
– *microcephala* 56, 58;
– *microrrhiza* 42, 55;
– – var. *parvispora* 42, 55;
– – var. *tetraspora* 42, 55;
– *microsperma* 58;
– *microspora* 42, 58;
– *moseri* 58;
– *neoantipus* 47;
– *pallidospora* 65;
– *pragensis* 42, 47–49;
– *pseudopilosella* 58;
– *pubescens* 53, 56;
– – var. *pseudopilosella* 58;
– *pulchella* 42, 58;
– *rickeniana* 63;
– *rickenii* 60;
– *rostellata* 42, 61;
– *sienophylla* 56, 61;
– – f. *paupera* 61;
– *siliginea* 63, 68;
– – var. *ochracea* 66, 68;
– *sordaria* 52;
– *sordescens* 52;
– *subpubescens* 49;
– *velenovskyi* 65;
– *velutipes* 42, 68;
– *watlingii* 47;
Cordana deliculata 34;
Cornutispora 183;
Craspedodidymum 192;
Craterellus 205;
Cunninghamella echinulata 163;
Curvularia ovoidea 162, 163;
Custingophora 2;
Cylindrodendrum album 38;
Cylindrotrichum 2–5, 9, 12, 17, 24, 27, 32, 37–39;
– *oblongisporum* 7;
– *oligospermum* 3–5, 32, 34, 37, 38;
– *zignoëllae* 5, 7;
Cystoderma 205;
– *amianthinum* 205;
– *rugosoreticulatum* 205;

Dictyochaeta 2, 3, 37;
Diploschistes scruposus 175;

Echinothecium reticulatum 183, 184;
Emericella 163;
– *heterothallica* 91;
– *nidulans* 82, 163;
– – var. *dentata* 163;
– – var. *lata* 163;
Eosphaeria 2;
Eurotium amstelodami 163;
Eutypa 27;

Fusarium 72, 73, 158, 160, 167;
– *oxysporum* 74, 79, 81, 82, 84, 163;
– *solani* 84, 160, 164, 167;

Galera 41–69;
– *albipes* 42–45;
– *apala* 43;
– *brachypodii* 42–45;
– *bulbosa* 43, 45, 46;
– *carbonaria* 63;
– *conferta* 45, 47–49;
– *digitalina* 49, 50;
– *dumetorum* 48, 49, 51;
– *echinata* 50, 52;
– *hypnorum* 65;
– *juniana* 52–54;
– *laricina* 51;
– *lateritia* 53;
– *leporina* 53–55;
– *major* 55–56;
– *melea* 56, 57;
– *microcephala* 56, 57;
– *microspora* 58;
– *pulchella* 58, 59;
– *pygmeoaffinis* 60;
– *reticulata* 59, 60;
– *rimosa* 60–62;
– *rostellata* 61–64;
– *siliginea* 63;
– *sordida* 57, 63;
– *spartea* 63–65;
– *spicula* 65;
– *tenera* 65;
– – var. *hyalopoda* 45;
– *togularis* 65;
– *urticae* 65–67;
– *velata* 51, 66, 67;
– *velutipes* 66, 68–69;
– *vesicaria* 68, 69;
Galerina 41;
Gerronema stevensoni 205;
Gibberella 162, 163;
– *fujikuroi* 162, 163;
– *gordonia* 162, 163;
– *intricans* 162, 163;
Gliocladium 168;
Gomphus 205;

Helminthosporium capitulatum 19;
Hemimycena 205;
Hericium 101;
Holubovaea 192;
Humicola grisea 163;
Hydnellum 99, 103–106, 115, 117, 119, 132;
– *aurantiacum* 106, 119, 123–125;
– *auratile* 105, 119, 123, 124, 126, 132;
– *caeruleum* 105, 119, 121–123;
– *concrescens* 105, 106, 115, 119, 124, 127, 132, 134, 135;
– *cumulatum* 106, 119, 132, 134, 136;
– *ferrugineum* 106, 121, 127, 129, 130;
– *geogenium* 106, 119, 134, 137, 138;
– *peckii* 100, 106, 121, 124, 127, 128, 130;
– *scrobiculatum* 106, 119, 130, 132–134;
– *spongiosipes* 100, 106, 121, 127, 130, 131;
– *spongiosum* 130;
– *suaveolens* 105, 119, 120, 121, 123;
– *velutinum* 130;
– *zonatum* 117;
Hydnum 99, 101, 103, 104;
– *amarescens* 148;
– *balsamiodorum* 144;
– *balsamiolens* 144;
– *commutatum* 151;
– *fuligineo-album* 107;
– *fuligineo-violaceum* 151;
– *hepaticum* 117;
– *laevigatum* 142;
– *leucopus* 142;
– *sulphureum* 138;
Hypoxylon multiforme 12;

Kylindria 3, 37;
– *zignoëllae* 7;

Lasallia pustulata 175;
Lasiosphaeria 2;
– *britzelmayri* 27;
– – ssp. *fennica* 3, 12, 24;
– *subvelutina* 23;
Lecanora polytropa 175;
– *soralifera* 175;
Lepraria 175;
– *caesioalba* 175;
Leucopaxillus gentianeus 205;
Lichenoconium usneae 183, 184;

Marchandiomyces corallinus 183;
Megacollybia 205;

Melanelia verrucilifera 175, 177;
Melanochaeta 2;
Melanomma macrosporum 3, 19, 21, 23, 24;
Melanopsammella 2, 38;
– *vermicularioides* 38;
Menispora 2;
– *glauca* 23;
– *oligosperma* 34;
Mercadomyces 192;
Micarea sylvicola 175;
Miriquidica leucophaea 175;
Miyoshiella 23;
– *macrospora* 23;
Miyshiella macrospora 23;
Monascus 72;
Mortierella vinacea 74;
Mucor 163;
– *circinelloides* 163;
– *hiemalis* 162, 163;
– *racemosus* 163;
Mycena 205;
Mycosphaerella tassiana 162, 163;
Myrothecium verrucaria 158, 160, 162–163, 165–168;

Nectria 160, 162;
– *haematococca* 158, 160–168;
Neolamya xanthoparmeliae 183;

Ochrolechia lactea 175;
Oramasia 192;
Oudemansiella 205;

Panus ringens 205;
Papulaspora immersa 163;
Paraceratocladium 192;
Penicillium 72, 73, 78–79, 84, 163;
– *asturianum* 79, 80, 84;
– *aurantiogriseum* 163;
– *brasilianum* 78, 80;
– *chrysogenum* 74, 78, 163;
– *commune* 78, 81;
– *daleae* 78;
– *funiculosum* 78, 80–82, 84, 164;
– *melinii* 78;
– *ochrochloron* 74, 78;
– *oxalicum* 74, 78–80, 82, 84, 85, 158, 160, 164–167;
– *pitii* 78;
– *puberulum* 164;
– *purpurogenum* 164;
– – var. *rubrisclerotium* 78, 80–82, 84;
– *spinulosum* 78, 80;
– *vinaceum* 74, 78, 81, 82;
– *wortmannii* 81;
Peronospora 188;
– *lamii* 186;
– *swinglei* 185–190;
Phaeogalera 41;
Phellodon 99, 103, 104, 106, 111;
– *confluens* 100, 106, 111, 113, 115, 117, 118;
– *melaleucus* 100, 106, 111, 113–115;
– *niger* 106, 111–113, 115;
– *tomentosus* 105, 111, 113, 115, 116, 132;
Phialophora 2;
Pholiotina 41, 65, 66;
– *aberrans* 61;
– *appendiculata* 66;
– *arrhenii* 65;
– *mairei* 45;
– *rimosa* 42, 61;
– *sulcatipes* 61;
– *velata* 42, 66;
Phoma 72;
– *glomerata* 164;
Phragmospathulella 192;
Piricaudilium 192;
Placynthiella icmalea 175;
Polycoccum 171–177;
– *bryonthae* 174;
– *cladoniae* 173, 174;
– *evae* 174;
– *innatum* 173, 174;
– *jamesii* 174;
– *kerneri* 174;
– *marmoratum* 174;
– *microsticticum* 174;
– *minutulum* 171–177;
– *montis-wilhelmii* 174;
– *peltigerae* 174;
– *pulvinatum* 174;
– *rugulosarium* 174, 175;
– *serusiauxii* 174;

– *slaptoniense* 174;
– *sporastatiae* 174;
– *superficiale* 174;
– *trypethelioides* 173, 174;
– *umbilicariae* 174, 175;
– *vermicularium* 174;
Porosphaerella 2;
Porosphaerellopsis 2;
Porpidia crustulata 175;
– *soredizodes* 175, 177;
– *tuberculosa* 175;
Protoblastenia 179;
– *rupestris* 182;
Pseudocraterellus 205;
Pseudoomphalina graveolens 205;
– *kalchbrenneri* 205;
Psilolechia lucida 175;
Pyrenidium actinellum 173;
Pythium 158–160, 162, 165;
– *aphandermatum* 167;
– *ultimum* var. *ultimum* 158, 160–162, 164–168;

Ramaria 205;
Rhizocarpon lavatum 175;
– *lecanorinum* 175;
– *obscuratum* 175, 177;
– *oederi* 175;
Rhizoctonia solani 168;
Rhizopus 162;
– *stolonifer* 162, 164;

Sarcodon 99, 103, 104, 107, 109, 138–140;
– *amarescens* 148;
– *fennicus* 104, 139, 144, 146, 148, 150, 151;
– *fuligineo-albus* 107, 109;
– *fuligineo-violaceus* 104, 139, 140, 146, 151, 153;
– *glaucopus* 104, 139, 142, 144, 146, 148, 149;
– *imbricatus* 100, 104, 115, 140, 141, 142, 146;
– *infundibulum* 109;
– *joeides* 100, 104, 139, 140, 146, 151, 152;
– *laevigatus* 142;
– *leucopus* 105, 140, 142–144, 148;
– *scabrosus* 104, 139, 140, 146–148;
– *versipellis* 105, 139, 142, 144, 145, 148;
Scoliciosporum umbrinum 175, 177;
Setosphaeria rostrata 164;
Solorina crocea 90;
Sphaeria atriella 23;
– *cariosa* 23;
– *crustacea* 12;
– *decastyla* 3, 19, 21, 23;
Stachybotrys chartarum 164;
Stigmidium xanthoparmeliarum 183, 184;
Striatosphaeria 2;

Talaromyces flavus 78, 81, 82;
Trapelia 171;
– *obtegens* 175;
– *placodioides* 171–175;
Trematosphaeria paradoxa 27;
Trichoderma 168;
– *harzianum* 74, 158, 160, 164–168;
– *reesei* 74;

Ulocladium chartarum 164;
Uncigera 3, 37;
– *cordae* 38;

Vermiculariopsiella 192;

Weddellomyces 179–184;
– *epicallopisma* 179, 182;
– *xanthoparmeliae* 179–184;

Xanthoparmelia 183;
– *conspersa* 182, 183, 184;
– *somloensis* 182, 183, 184;
Xenokylindria 3, 37, 39;
Xerula 205;

Zanclospora 2;
Zignoëlla 2;
– *abietis* 5, 7;
– – var. *fennica* 24;
– *crustacea* 3, 12, 17;
– *macrospora* 19;
– *pulviscula* 2.